

12,3-Zoll-Blaulichtbildschirm F30 INDASH LCD

System: sicheres und stabiles Linux-System.

Bildschirm: 12,3-Zoll-Blaulichtbildschirm mit einer Auflösung von 1920 * 720.

Chip: T507 plus (CPU4-Kern_Primärfrequenz 1,8 GHz).

Speicher: 1 GB (RAM) 4 GB (ROM).

Behalten Sie alle Funktionen des Originalfahrzeugs bei.

Fügen Sie 4 Themen zum Wechseln, mehrere Farben zum Wechseln und 12 Sprachen zum Wechseln hinzu.

Verlustfreie Installation, keine Programmierung, Plug-and-Play.





Instrument Installation Steps

1

Step

Adjust the steering wheel to the lowest position and hook the second hole above the original instrument panel with a tool. Pull down the iron plate from the second to last hole and remove the original instrument panel.



2

Step

Remove the iron plate from the original instrument panel and install it on the new instrument panel machine. Insert the corresponding plug wires in pairs.



1. USB interface (for upgrading instruments)
2. Original vehicle instrument power line interface
3. Original vehicle instrument fiber optic interface (note: 3 series does not have this interface)

Accessory

1. Loading tool (note: 3 Series does not have this accessory)
2. USB (for upgrading instruments)

