

|              |                                                                                           |
|--------------|-------------------------------------------------------------------------------------------|
| Disk support | SVCD / DVCD / DVD / VCD / CD / CD-R / CD-RW / JPEG / WMA / MP3 / MP4 / DIVX / AAC / / MP5 |
|--------------|-------------------------------------------------------------------------------------------|

|                      |                                                                                       |
|----------------------|---------------------------------------------------------------------------------------|
| Total Supply Voltage | DC 9V-16V                                                                             |
| Overload             | 4Ω                                                                                    |
| Maximum output power | 45W × 4                                                                               |
|                      | 7 db                                                                                  |
| Tone Control         | The bass 20Hz<br>Treble 20KHZ                                                         |
| Output port          | Audio: four independent output channels<br>Video: a composite video output channel    |
| Input port           | Audio: two independent input channels<br>Video: 3 composite video input channels      |
| Video Features       | Video output level: 1.0 Vp-p (75Ω overload)<br>Video feaures range: 20Hz-20KHZ (1 □□) |
| Temperature          | -10 °C + 60 °C                                                                        |
| Humidity             | 15-75% (no water frozen)                                                              |

#### VCD / CD section

|                                   |                      |
|-----------------------------------|----------------------|
| Video System                      | Auto / NTSC / PAL    |
| The S / N (signal to noise ratio) | 60 db (1KHz of 0 db) |
| Resolution                        | 55 db                |
| Frequency Response                | 20HZ-20KHZ           |
| Dynamic Range                     | 80 db                |
| Distortaion                       | 0.4%                 |

#### DVD section

|                                   |                       |
|-----------------------------------|-----------------------|
| Video System                      | Auto / NTSC / PAL     |
| The S / N (signal to noise ratio) | 75 db (1 KHz of 0 db) |
| Resolution                        | 60 db                 |
| Frequency Response                | 20HZ-20KHZ            |
| Dynamic Range                     | 80 db                 |
| Distortaion                       | 0.4%                  |

#### FM section

|                                   |                      |
|-----------------------------------|----------------------|
| Band                              | 87.5-108.0MHz of     |
| Actual sensitivity                | 22 db                |
| Sensitivity decreases             | 9 db                 |
| The S / N (signal to noise ratio) | 60 db (1KHz of 0 db) |
| Resolution                        | 32 db                |
| Frequency Response                | 40HZ-13KHZ           |

IF

The 10.7MHz

Am part

Band 522-1620KHz

Sensitivity decreases 35 db

Actual sensitivity 28 db

The S / N (signal to noise ratio) 45 db (1 KHz of 0 db)

IF 450MHz of

Frequency Response 40HZ-2.3KHZ

Plarform: A4 ARM11 RADIO TUNNER: SI 4745 MCU: SIRF AT840

ROM: 512M RAM: 128M

Description:

1) Windows CE 6.0 system. 7-inch high-definition digital touch screen Original HannStar, Huayang temperature loaders.

2) Supports DVD, VCD, CD, CD-R, CD-RW, MP3, DIVX, MP3, MP4, MP5 (RM, RMVB(1280 \* 720P)), SVCD, DVD-9, AVI and JPEG, BMP, PNG, TIFF, JIF

3) Built-in Bluetooth: support handsfree call, dial-up and calls automatically, support A2DP

4) Built-in AM / FM radio, 6-disc virtual function and RDS optional

5) iPod connectivity and support PIP (Picture in Picture) function, BT Phonebook

6) CMMB,DVB-T,ISDB-T, ATSC (optional)

7) Dual Zone (Play DVD, radio or television side navigation)

8) Support iPod List

9) BUIT type 4X45W HiFi amplifier: international professional BBE sound processing, enhanced audio ambience and good decorative effect, make music more gentle

Infrared remote control 10) Full function

11) is equipped with reverse video signal input, can support a variety of reversing camera, automatic switch to reverse

12) Electronic and mechanical anti-shock system

13) Support TOMTOM, IGO8, Route66 maps and so on.

14) Languages: English, Russian, Portuguese, Chinese (both), Arabic, Spanish, Turkish, Vietnamese and so on. More menu language can be customized.

[Fiat Bravo attention here for more information](#)

